



100

JUN 27 2005 IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/667,384

Group Art Unit: 3744

Filed: September 23, 2003

Examiner: R. Leung

Inventors: Bonaquist et al.

Title: BIOLOGICAL REFRIGERATION SYSTEM

AMENDMENT TRANSMITTAL LETTER

COMMISSIONER FOR PATENTS

Mail Stop AF

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an Amendment in the above-identified application. The fee for this Amendment has been calculated as follows:

CLAIMS AS AMENDED

(1) Claims Remaining After Amendment		(2) Highest Number Previously Paid For	(3) Present Extra	Rate	Additional Fee	Fee Code
Total Claims *10	Minus	** 20 =	0 X \$ 50	= \$ 0		103
Independent Claims 2	Minus	** 3 =	0 X \$ 200	= \$ 0		102
First presentation of multiple dependent claims		(\$360)		= \$ 0		104
Total additional fee for this Amendment						\$ 0

* If entry in Col. 1 is less than entry in Col. 2, write "0" in Col. 3.

** If the "Highest Number Previously Paid for" in this space is less than 20, write "20" in this space.

*** If the "Highest Number Previously Paid for" in this space is less than 3, write "3" in this space.

1. No additional fee is required.
2. Charge \$ _____ to Deposit Account No. 16-2440 for this Amendment. A duplicate copy of this sheet is enclosed.
3. Please charge any additional fees which may be required by this Amendment, or credit any overpayment to Deposit Account No. 16-2440. A duplicate copy of this sheet is enclosed.

Respectfully submitted,


Stanley Ktorides
Attorney For Applicants
Reg. No. 29,399

Our Ref.: D-21372
Danbury, Connecticut 06810-5113
Date: June 24, 2005
Praxair, Inc.
Telephone No.: (203) 837-2178

D-21372



- 1 -

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/667,384

Group Art Unit: 3744

Inventors: Bonaquist et al.

Filed: September 23, 2003

Title: Biological Refrigeration System Examiner: R. Leung

AMENDMENT

Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

In response to the Office Action dated June 6, 2005, kindly amend the application as follows.